

L Number	Hits	Search Text	DB	Time stamp
-	30	bbnt and solution	USPAT; US-PGPUB	2004/02/10 09:05
-	1392198	deliver\$ or rout\$ or forward\$	USPAT; US-PGPUB	2004/02/11 08:57
-	222599	packet or message or datagram	USPAT; US-PGPUB	2004/02/11 08:57
-	525	(router near availab\$) or (quer\$ near availab\$ near router) or (solicit\$ near request near router)	USPAT; US-PGPUB	2004/02/10 09:12
-	2618	(agent or router) near (advertis\$ or discover\$ or solicit\$)	USPAT; US-PGPUB	2004/02/10 09:13
-	14129	mobile near (host or user or node or computer)	USPAT; US-PGPUB	2004/02/10 09:14
-	295	correspondent near (host or user or node or computer)	USPAT; US-PGPUB	2004/02/10 09:14
-	323	peer\$to\$peer near connection	USPAT; US-PGPUB	2004/02/10 09:17
-	10797	home near (address or location or agent or network)	USPAT; US-PGPUB	2004/02/10 09:17
-	1973	foreign near (address or location or agent or network)	USPAT; US-PGPUB	2004/02/10 09:18
-	417346	bind\$	USPAT; US-PGPUB	2004/02/10 09:18
-	69812	tunnel\$	USPAT; US-PGPUB	2004/02/10 09:18
-	1611	multi\$cast near address	USPAT; US-PGPUB	2004/02/10 09:19
-	374	router near service	USPAT; US-PGPUB	2004/02/10 09:19
-	6200	wireless near (host or user or node or computer)	USPAT; US-PGPUB	2004/02/10 09:22
-	56	(deliver\$ or rout\$ or forward\$) and (packet or message or datagram) and (((router near availab\$) or (quer\$ near availab\$ near router) or (solicit\$ near request near router) ) or ((agent or router) near (advertis\$ or discover\$ or solicit\$))) and (mobile near (host or user or node or computer)) and (correspondent near (host or user or node or computer)) and (home near (address or location or agent or network)) and (foreign near (address or location or agent or network)) and tunnel\$ and (router near service) andl6	USPAT; US-PGPUB	2004/02/10 09:25
-	5	(deliver\$ or rout\$ or forward\$) and (packet or message or datagram) and (((router near availab\$) or (quer\$ near availab\$ near router) or (solicit\$ near request near router) ) or ((agent or router) near (advertis\$ or discover\$ or solicit\$))) and (mobile near (host or user or node or computer)) and (correspondent near (host or user or node or computer)) and (home near (address or location or agent or network)) and (foreign near (address or location or agent or network)) and tunnel\$ and (router near service) and (wireless near (host or user or node or computer))	USPAT; US-PGPUB	2004/02/10 15:42

-	6	(deliver\$ or rout\$ or forward\$) and (packet or message or datagram) and (((router near availab\$) or (quer\$ near availab\$ near router) or (solicit\$ near request near router) ) or ((agent or router) near (advertis\$ or discover\$ or solicit\$))) and (mobile near (host or user or node or computer)) and (correspondent near (host or user or node or computer)) and (home near (address or location or agent or network)) and (foreign near (address or location or agent or network)) and tunnel\$ and (router near service)	USPAT; US-PGPUB	2004/02/10 15:43
-	65	(deliver\$ or rout\$ or forward\$) and (packet or message or datagram) and (((router near availab\$) or (quer\$ near availab\$ near router) or (solicit\$ near request near router) ) or ((agent or router) near (advertis\$ or discover\$ or solicit\$))) and (mobile near (host or user or node or computer)) and (correspondent near (host or user or node or computer)) and (home near (address or location or agent or network)) and (foreign near (address or location or agent or network))	USPAT; US-PGPUB	2004/02/10 09:28
-	59	((deliver\$ or rout\$ or forward\$) and (packet or message or datagram) and (((router near availab\$) or (quer\$ near availab\$ near router) or (solicit\$ near request near router) ) or ((agent or router) near (advertis\$ or discover\$ or solicit\$))) and (mobile near (host or user or node or computer)) and (correspondent near (host or user or node or computer)) and (home near (address or location or agent or network)) and (foreign near (address or location or agent or network))) not ((deliver\$ or rout\$ or forward\$) and (packet or message or datagram) and (((router near availab\$) or (quer\$ near availab\$ near router) or (solicit\$ near request near router) ) or ((agent or router) near (advertis\$ or discover\$ or solicit\$))) and (mobile near (host or user or node or computer)) and (correspondent near (host or user or node or computer)) and (home near (address or location or agent or network)) and (foreign near (address or location or agent or network)) and tunnel\$ and (router near service))	USPAT; US-PGPUB	2004/02/10 15:45
-	23	mobile near (host or user or node or computer) near communicat\$ near direct\$	USPAT; US-PGPUB	2004/02/10 15:45
-	7	(mobile near (host or user or node or computer)) same (mobile\$to\$mobile near communication)	USPAT; US-PGPUB	2004/02/10 15:46
-	14129	mobile near (host or user or node or computer)	USPAT; US-PGPUB	2004/02/10 12:00
-	1329	mobile near (host or user or node or computer) near communicat\$	USPAT; US-PGPUB	2004/02/10 12:01
-	1	mobile near (host or user or node or computer) near communicat\$ and 709/238-244.ccls. and 455/433.ccls.	USPAT; US-PGPUB	2004/02/10 12:03
-	5	mobile near (host or user or node or computer) near communicat\$ same ((differ or different or differing) near (pre\$fix or address))	USPAT; US-PGPUB	2004/02/10 15:47
-	793	(identif\$ or locat\$ or find\$) near (mobile near (host or user or node or computer))	USPAT; US-PGPUB	2004/02/10 12:12

-	0	(identif\$ or locat\$ or find\$) near (mobile near (host or user or node or computer)) near ((differ or different or differing) near (pre\$fix or address))	USPAT; US-PGPUB	2004/02/10 12:13
-	7	(identif\$ or locat\$ or find\$) near (mobile near (host or user or node or computer)) same ((differ or different or differing) near (pre\$fix or address))	USPAT; US-PGPUB	2004/02/10 15:47
-	2	mobile near (host or user or node or computer) and ((unable or ('not able') or can\$not) near communicat\$ near router)	USPAT; US-PGPUB	2004/02/10 15:50
-	6	(host or user or node or computer) and ((unable or ('not able') or can\$not) near communicat\$ near router)	USPAT; US-PGPUB	2004/02/10 15:51
-	6	((unable or ('not able') or can\$not) near communicat\$ near router)	USPAT; US-PGPUB	2004/02/10 15:51
-	0	peer\$to\$peer near communicat\$ near (mobile near (host or user or node or computer))	USPAT; US-PGPUB	2004/02/10 12:32
-	27	peer\$to\$peer near communicat\$ same (mobile near (host or user or node or computer))	USPAT; US-PGPUB	2004/02/10 15:52
-	134	peer\$to\$peer near communicat\$ and (mobile near (host or user or node or computer))	USPAT; US-PGPUB	2004/02/10 15:53
-	107	(peer\$to\$peer near communicat\$ and (mobile near (host or user or node or computer))) not (peer\$to\$peer near communicat\$ same (mobile near (host or user or node or computer)))	USPAT; US-PGPUB	2004/02/10 12:51
-	84	peer\$to\$peer same (mobile near (host or user or node or computer))	USPAT; US-PGPUB	2004/02/10 12:57
-	57	(peer\$to\$peer same (mobile near (host or user or node or computer))) not (peer\$to\$peer near communicat\$ same (mobile near (host or user or node or computer)))	USPAT; US-PGPUB	2004/02/10 12:52
-	39	(mobile near (host or user or node or computer)) same (with\$out near6 router)	USPAT; US-PGPUB	2004/02/10 15:54
-	16	(mobile near (host or user or node or computer)) near5 peer\$to\$peer	USPAT; US-PGPUB	2004/02/10 14:49
-	0	(mobile near (host or user or node or computer)) near adjacent near communicat\$	USPAT; US-PGPUB	2004/02/10 14:50
-	1329	(mobile near (host or user or node or computer)) near communicat\$	USPAT; US-PGPUB	2004/02/10 14:51
-	114	(mobile near (host or user or node or computer)) near communicat\$ same ((foreign near agent) or router)	USPAT; US-PGPUB	2004/02/10 14:52
-	40	((unavailabl\$ or 'not available') or ((can\$not or unable or 'not able') near (reach or communicat\$))) near (router or (foreign near (agent or host)))	USPAT; US-PGPUB	2004/02/10 15:19
-	1	("5068916").PN.	USPAT; US-PGPUB	2004/02/10 15:40
-	0	(deliver\$ or rout\$ or forward\$) and (packet or message or datagram) and (((router near availab\$) or (quer\$ near availab\$ near router) or (solicit\$ near request near router) ) or ((agent or router) near (advertis\$ or discover\$ or solicit\$))) and (mobile near (host or user or node or computer)) and (correspondent near (host or user or node or computer)) and (home near (address or location or agent or network)) and (foreign near (address or location or agent or network)) and tunnel\$ and (router near service) and (wireless near (host or user or node or computer))	USPAT; US-PGPUB EPO; JPO; DERWENT; IBM_TDB	2004/02/10 15:42

-	0	(deliver\$ or rout\$ or forward\$) and (packet or message or datagram) and (((router near availab\$) or (quer\$ near availab\$ near router) or (solicit\$ near request near router) ) or ((agent or router) near (advertis\$ or discover\$ or solicit\$))) and (mobile near (host or user or node or computer)) and (correspondent near (host or user or node or computer)) and (home near (address or location or agent or network)) and (foreign near (address or location or agent or network)) and tunnel\$ and (router near service)	EPO; JPO; DERWENT; IBM_TDB	2004/02/10 15:44
-	1	mobile near (host or user or node or computer) near communicat\$ near direct\$	EPO; JPO; DERWENT; IBM_TDB	2004/02/10 15:45
-	1	(mobile near (host or user or node or computer)) same (mobile\$to\$mobile near communication)	EPO; JPO; DERWENT; IBM_TDB	2004/02/10 15:46
-	0	mobile near (host or user or node or computer) near communicat\$ same ((differ or different or differing) near (pre\$fix or address))	EPO; JPO; DERWENT; IBM_TDB	2004/02/10 15:47
-	2	(identif\$ or locat\$ or find\$) near (mobile near (host or user or node or computer)) same ((differ or different or differing) near (pre\$fix or address))	EPO; JPO; DERWENT	2004/02/10 15:48
-	1	mobile near (host or user or node or computer) and ((unable or ('not able') or can\$not) near communicat\$ near router)	EPO; JPO; DERWENT	2004/02/10 15:50
-	1	(host or user or node or computer) and ((unable or ('not able') or can\$not) near communicat\$ near router)	EPO; JPO; DERWENT; IBM_TDB	2004/02/10 15:51
-	1	((unable or ('not able') or can\$not) near communicat\$ near router)	EPO; JPO; DERWENT; IBM_TDB	2004/02/11 08:58
-	2	peer\$to\$peer near communicat\$ same (mobile near (host or user or node or computer))	EPO; JPO; DERWENT; IBM_TDB	2004/02/10 15:52
-	4	peer\$to\$peer near communicat\$ and (mobile near (host or user or node or computer))	EPO; JPO; DERWENT; IBM_TDB	2004/02/10 15:53
-	1	(mobile near (host or user or node or computer)) same (with\$out near router)	EPO; JPO; DERWENT; IBM_TDB	2004/02/10 16:13
-	625	(mobile near (host or user or node or computer)) near communicat\$	EPO; JPO; DERWENT; IBM_TDB	2004/02/10 16:13
-	544	((mobile near (host or user or node or computer)) near communicat\$).ab.	EPO; JPO; DERWENT; IBM_TDB	2004/02/10 16:14
-	95	((mobile near (host or user or node or computer)) near communicat\$).ab.	USPAT; US-PGPUB	2004/02/10 16:27
-	31	5282270.urpn.	USPAT; US-PGPUB	2004/02/10 16:43
-	604	(without near router) or (no near router) or router\$less	USPAT; US-PGPUB	2004/02/10 16:44
-	52	((without near router) or (no near router) or router\$less) and (mobile near (host or user or node or computer))	USPAT; US-PGPUB	2004/02/10 17:12
-	17	((without near router) or (no near router) or router\$less) same (mobile near (host or user or node or computer))	USPAT; US-PGPUB	2004/02/10 16:49
-	35	((without near router) or (no near router) or router\$less) and (mobile near (host or user or node or computer))) not ((without near router) or (no near router) or router\$less) same (mobile near (host or user or node or computer)))	USPAT; US-PGPUB	2004/02/10 16:49
-	1	("5442633").PN.	USPAT; US-PGPUB	2004/02/10 17:12

-	28874	(deliver\$ or rout\$ or forward\$) near (packet or message or datagram)	USPAT; US-PGPUB	2004/02/11 08:57
-	3626616	availab\$ or quer\$ or solicit\$ or advertis\$ or discover\$ or identif\$	USPAT; US-PGPUB	2004/02/11 09:10
-	1705336	host or user or node or computer or agent	USPAT; US-PGPUB	2004/02/11 09:08
-	22	((availab\$ or quer\$ or solicit\$ or advertis\$ or discover\$ or identif\$) near (foreign or correspond\$) near (host or user or node or computer or agent)) and ((host or user or node or computer or agent) same ((differ or differing or different) near (address or pre\$fix)))	USPAT; US-PGPUB	2004/02/11 09:23
-	2	((availab\$ or quer\$ or solicit\$ or advertis\$ or discover\$ or identif\$) near (foreign or correspond\$) near (host or user or node or computer or agent)) and ((host or user or node or computer or agent) near ((differ or differing or different) near (address or pre\$fix)))	USPAT; US-PGPUB	2004/02/11 09:26
-	0	(availab\$ or quer\$ or solicit\$ or advertis\$ or discover\$ or identif\$) near (foreign or correspond\$) near (host or user or node or computer or agent) near ((differ or differing or different) near (address or pre\$fix))	USPAT; US-PGPUB	2004/02/11 09:28
-	0	(availab\$ or quer\$ or solicit\$ or advertis\$ or discover\$ or identif\$) near (foreign or correspond\$) near (host or user or node or computer or agent) near ((differ or differing or different) near (address or pre\$fix))	EPO; JPO; DERWENT; IBM_TDB	2004/02/11 09:29
-	0	(availab\$ or quer\$ or solicit\$ or advertis\$ or discover\$ or identif\$) near (foreign or correspond\$) near (host or user or node or computer or agent) same ((differ or differing or different) near (address or pre\$fix))	USPAT; US-PGPUB	2004/02/11 09:30
-	248	(availab\$ or quer\$ or solicit\$ or advertis\$ or discover\$ or identif\$) near (foreign or correspond\$) near (host or user or node or computer or agent)	USPAT; US-PGPUB	2004/02/11 11:24
-	1	("6487605").PN.	USPAT; US-PGPUB	2004/02/11 11:59
-	318	fail\$ near ((foreign near agent) or router)	USPAT; US-PGPUB	2004/02/11 12:00
-	318	fail\$ near (((foreign near agent) or router) or (local near bind\$))	USPAT; US-PGPUB	2004/02/11 12:01
-	59	(host or user or node or computer) same (foreign near (sub\$net or sub\$network))	USPAT; US-PGPUB	2004/02/11 12:03
-	341	(host or user or node or computer) same (foreign near (sub\$net or sub\$network or network))	USPAT; US-PGPUB	2004/02/11 12:03
-	0	(peer\$peer or peer\$to\$peer) and ((host or user or node or computer) same (foreign near (sub\$net or sub\$network or network))) and (fail\$ near (((foreign near agent) or router) or (local near bind\$)))	USPAT; US-PGPUB	2004/02/11 12:04
-	10	((host or user or node or computer) same (foreign near (sub\$net or sub\$network or network))) and (fail\$ near (((foreign near agent) or router) or (local near bind\$)))	USPAT; US-PGPUB	2004/02/11 14:00
-	1	("6167513").PN.	USPAT; US-PGPUB	2004/02/11 15:17
-	132	neighbor near discover\$	USPAT; US-PGPUB	2004/02/11 15:57
-	23	(neighbor near (solicit\$ or advertis\$)) and (mobile or wireless)	USPAT; US-PGPUB	2004/02/11 16:03
-	2151	ad\$hoc	USPAT; US-PGPUB	2004/02/11 16:03
-	495	ad\$hoc near network\$	USPAT; US-PGPUB	2004/02/11 16:04

-	85	(ad\$hoc near network\$) and @ad<20000924	USPAT; US-PGPUB	2004/02/11 17:34
-	1265	foreign near agent	USPAT; US-PGPUB	2004/02/11 17:34
-	16	(foreign near agent) and (router near service)	USPAT; US-PGPUB	2004/02/11 17:42
-	95	(foreign near agent) and (router near5 service)	USPAT; US-PGPUB	2004/02/11 17:43
-	33	((foreign near agent) and (router near5 service)) not ((foreign near agent) and (router near service))) and @ad<20000924	USPAT; US-PGPUB	2004/02/11 17:44
-	21	((foreign near agent) and (router near5 service)) not ((foreign near agent) and (router near service))) and @ad<20000924 and (mobile or wireless)	USPAT; US-PGPUB	2004/02/12 10:51
-	0	router near sevice	USPAT; US-PGPUB	2004/02/12 10:51
-	378	router near service	USPAT; US-PGPUB	2004/02/12 10:52
-	34	'router services' and @ad<20000924	USPAT; US-PGPUB	2004/02/12 16:09

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) [Publications/Services](#) [Standards](#) [Conferences](#) [Careers/Jobs](#)**IEEE Xplore<sup>®</sup>**  
RELEASE 1.6Welcome  
United States Patent and Trademark Office[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)[Quick Links](#)

» 1

Welcome to IEEE Xplore<sup>®</sup>

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

## Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

## Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

## Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

- 1) Enter keywords in one or more text boxes.
- 2) Select the fields to search for each keyword.
- 3) Select search operators when using multiple keywords.
- 4) Limit the results by selecting Search Options.
- 5) Click Search. See [Search Examples](#)

mobile node In: Abstract

Or

wireless host In: Abstract

Or

In: Abstract

Search

Clear

**Note:** This function returns plural and suffixed forms of the keyword(s).

## Search Options:

## Select publication types:

- ☒ IEEE Journals
- ☒ IEE Journals
- ☒ IEEE Conference proceedings
- ☒ IEE Conference proceedings
- ☒ IEEE Standards

## Select years to search:

From year: 1950 to 2000

## Organize search results by:

Sort by: Relevance

In: Descending order

List 50 Results per page

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore**  
RELEASE 1.6Welcome  
United States Patent and Trademark Office[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)

» 1

**Welcome to IEEE Xplore**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

**Tables of Contents**

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

**Search**

- ☐ By Author
- ☐ Basic
- ☐ Advanced

**Member Services**

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

- 1) Enter keywords in one or more text boxes.
- 2) Select the fields to search for each keyword.
- 3) Select search operators when using multiple keywords.
- 4) Limit the results by selecting Search Options.
- 5) Click Search. See [Search Examples](#)

 In: And  In: And  In:  **Note:** This function returns plural and suffixed forms of the keyword(s).**Search Options:****Select publication types:**

- ☒ IEEE Journals
- ☒ IEE Journals
- ☒ IEEE Conference proceedings
- ☒ IEE Conference proceedings
- ☒ IEEE Standards

**Select years to search:**From year:  to **Organize search results by:**Sort by: In:  orderList  Results per page[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved